


EKG PRESSURE STRIPS HERE

RESPIRATORY

| | | | | | | | |
|-------------------------------|------------------------|------|--|--|--|--|--|
| | Time | | | | | | |
| | Nasal / Oral | | | | | | |
| | OETT N NETT | | | | | | |
| | Trach # | | | | | | |
| O₂ THERAPY: | N/C | /min | | | | | |
| | AFM | % | | | | | |
| Time | Extubated per Criteria | | | | | | |
| | T-piece | % | | | | | |
| | Other | % | | | | | |
| RESPIRATIONS: | Regular | | | | | | |
| | Unlabored | | | | | | |
| | Symmetrical | | | | | | |
| | Irregular | | | | | | |
| | Labored | | | | | | |
| | SOB | | | | | | |
| | Asymmetrical | | | | | | |
| V E N T | Bear / 7200 | | | | | | |
| | FiO ₂ | | | | | | |
| | IMV / AC | | | | | | |
| | TV | | | | | | |
| | PEEP | | | | | | |
| | Pressure Support | | | | | | |



RESPIRATORY COMMENTS: _____

| | | | | | | |
|----------------------------|------------------|--|--|---------------------|--|--|
| L A B S | TIME | | | TIME | | |
| | HgB (12 - 16) | | | CREAT (0.5 - 1.2) | | |
| | HcT (37 - 47) | | | PT (11.3 - 12.9) | | |
| | BUN (7 - 21) | | | PTT (25.3 - 35.1) | | |
| | Na (136 - 143) | | | | | |
| | K+ (3.5 - 5.0) | | | | | |
| | C1 (101 - 111) | | | | | |

| | | | | | | | |
|--|-------------------------------|--|--|--|--|--|--|
| A R T E R I A L | TIME | | | | | | |
| | O ₂ Therapy | | | | | | |
| | PH (7.4 ± .05) | | | | | | |
| | PaCO ₂ (25 - 45) | | | | | | |
| | PaO ₂ (85+) | | | | | | |
| | HCO ₂ (22 - 28) | | | | | | |
| | O ₂ Sat (95%+) | | | | | | |
| | Pulse Oximetry | | | | | | |

| MUSCULO-SKELETAL | | | | | | |
|------------------|--|--|--|--|--|--|
| TIME | | | | | | |
| RUE | | | | | | |
| LUE | | | | | | |
| RLE | | | | | | |
| LLE | | | | | | |
| Upper | | | | | | |
| Lower | | | | | | |
| Motor | | | | | | |
| Sensory | | | | | | |

LEGEND

S = Spontaneous
 C = On Command
 N = No Response

MOTOR ASSESSMENT

0 = Patient unable to move toes or bend knees
 1 = Able to move toes; unable to bend knees
 2 = Able to move toes & knees; but weak
 3 = Able to move toes; bend knees easily; strong
 4 = Ambulating, if appropriate

PART OF THE MEDICAL RECORD

